

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	830	fiber near core and fiber near laser and (sheath\$4 or cover or skin or clad or face or side)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 05:11			0
2	BRS	350	372/\$ and (fiber near core and fiber near laser and (sheath\$4 or cover or skin or clad or face or side))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 07:41			0
3	BRS	461	372/6 and fiber near laser and (sheath\$4 or cover or skin or clad or face or side)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 05:17			0
4	BRS	254	372/6 and (fiber near core and fiber near laser and (sheath\$4 or cover or skin or clad or face or side))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/13 14:30			0
5	BRS	89	(372/6 and (fiber near core and fiber near laser and (sheath\$4 or cover or skin or clad or face or side))) and resonan\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/14 10:32			0
6	BRS	1	"3661600".PN.	USPAT	2001/08/13 15:21			0
7	BRS	1	"5251062".PN.	USPAT	2001/08/13 15:21			0
8	BRS	1	"4848499".PN.	USPAT	2001/08/13 15:22			0
9	BRS	1	"5062684".PN.	USPAT	2001/08/13 15:22			0
10	IS&R	23	(("4848499") or ("4892388") or ("4923273") or ("5062684") or ("5073004") or ("5115441") or ("5181213") or ("5212745") or ("5212746") or ("5289552") or ("5301201") or ("5305336") or ("5365539") or ("5375181") or ("5397739") or ("5422470") or ("5425039") or ("5509093") or ("5530715") or ("5563973") or ("5666373") or ("5914978") or ("5946438")).PN.	USPAT	2001/08/13 15:25			0
11	IS&R	61	(("4848499") or ("4892388") or ("4923273") or ("5062684") or ("5073004") or ("5115441") or ("5181213") or ("5212745") or ("5212746") or ("5289552") or ("5301201") or ("5305336") or ("5365539") or ("5375181") or ("5397739") or ("5422470") or ("5425039") or ("5509093") or ("5530715") or ("5563973") or ("5666373") or ("5914978") or ("5946438")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/13 15:25			0

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
12 BRS	74	(372/6 and (fiber near core and fiber near laser and (sheath\$4 or cover or skin or clad or face or side))) and resonat\$ and (reduc\$6 or deareas\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/14 10:54			0
13 BRS	73	(372/6 and (fiber near core and fiber near laser and (sheath\$4 or cover or skin or clad or face or side))) and resonat\$ and (reduc\$6 or deareas\$6 same fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/14 10:59			0
14 BRS	82	(372/6 and (fiber near core and fiber near laser and (sheath\$4 or cover or skin or clad\$5 or face or side))) and resonat\$ and (reduc\$6 or deareas\$6 same fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/14 14:28			0
15 BRS	83	(372/6 and (fiber near core and fiber near laser and (sheath\$4 or cover or skin or clad\$5 or face or side))) and resonat\$ and (reduc\$6 or deareas\$6 same (laser or pump\$6 or light near fiber))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 10:07			0
16 BRS	5011	laser AND fiber AND (remov\$ with (sheath\$5 or fiber))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 10:07		Truncation Overflow. Return string from Server is: 5'519912'	1
17 BRS	121	(laser AND fiber AND (remov\$ with (sheath\$5 or fiber)) ) and 372/6 and fiber near core	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/14 14:20			0
18 BRS	1054 3	laser AND fiber AND ((remov\$ or integral or move or shift\$5 or dislocate or transfer) with (sheath\$5 or fiber))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/14 14:20		Truncation Overflow. Return string from Server is: 5'519912'	1
19 BRS	286	(laser AND fiber AND ((remov\$ or integral or move or shift\$5 or dislocate or transfer) with (sheath\$5 or fiber)) ) and 372/6 and fiber near core	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/14 14:28			0
20 BRS	20	(laser AND fiber AND ((remov\$ or integral or move or shift\$5 or dislocate or transfer) with (sheath\$5 or fiber)) ) and 372/6 and fiber near core not (372/6 and (fiber near core and fiber near laser and (sheath\$4 or cover or skin or clad\$5 or face or side))) and resonat\$ and (reduc\$6 or deareas\$6 same fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/14 14:40			0

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
21 BRS	51	((laser AND fiber AND ((remov\$ or integral or move or shift\$5 or dislocate or transfer) with (sheath\$5 or fiber)) ) and 372/6 and fiber near core and fiber near laser and (sheath\$4 or cover or skin or clad\$5 or face or side) and resonat\$ and (reduc\$6 or deareas\$6 same fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/14 15:41			0
22 BRS	14	((laser AND fiber AND ((remov\$ or integral or move or shift\$5 or dislocate or transfer) with (sheath\$5 or fiber)) ) and 372/6 and fiber near core and fiber near laser and (sheath\$4 or cover or skin or clad\$5 or face or side) and resonat\$ and (reduc\$6 or deareas\$6 same fiber) and strip\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/08/14 15:50		Truncation Overflow. Return string from Server is: 5 519912	1
23 BRS	2	((reduc\$5 near pump near light) and 372/\$ and (fiber near core)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 16:47			0
24 BRS	24	((reduc\$5 WITH (pump near light)) and 372/\$ and (fiber near core)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 17:12			0
25 BRS	3	((((reduc\$5 WITH (pump near light)) SAME (fiber near core)) and 372/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/09 09:37			0
26 BRS	0	((method with reduc\$5 WITH (pump near light)) SAME (fiber near core)) and 372/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 17:23			0
27 BRS	1	((method with reduc\$5 WITH (pump near light)) AND (fiber near core)) and 372/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/04 17:24			0
28 BRS	5	((((reduc\$5 or decreasee or cut or degrade) WITH (pump near light)) SAME (fiber near core)) and 372/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/09 13:32			0
29 BRS	5	((((reduc\$5 or decreasee or cut or degrade) WITH (pump near light)) SAME (fiber near core)) and (cladding or clad or sheath)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/09 11:16			0
30 BRS	30	((((reduc\$5 or decreasee or cut or degrade) WITH (pump near light)) SAME (fiber)) and (cladding or clad or sheath)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/09 11:22			0

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
31	BRS	33	((((reduc\$5 or decrease or cut or degrade) WITH (pump near light)) SAME (fiber)) and (cladding or clad or sheath))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/09 11:23			0
32	BRS	9	((((reduc\$5 or decrease or cut or degrade) WITH (pump near light)) SAME (fiber)) SAME (cladding or clad or sheath))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/09 11:24			0
33	BRS	9	((((reduc\$5 or decrease or cut or degrade) WITH (pump near light)) SAME (fiber)) SAME (cladding or clad or sheath\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/09 11:25			0
34	BRS	5	((((reduc\$5 or decrease or cut or degrade) WITH (pump near light)) SAME (fiber)) AND (cladding or clad or sheath\$4) and ((remove or move or transfer or shift\$3 or ship or disturb\$3) near light))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/09 11:30			0
35	BRS	7	((((reduc\$5 or decrease or cut or degrade) WITH (pump near light)) SAME (fiber)) AND (cladding or clad or sheath\$4) and ((remove or move or transfer or shift\$3 or ship or disturb\$3 or end or exit) near light))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 10:07			0
36	BRS	128	372/6 and 372/71	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/09 13:29			0
37	BRS	0	((((reduc\$5 or decrease or cut or degrade) WITH (pump near light)) SAME (fiber near core)) and (372/6 and 372/71))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/09 13:33			0
38	BRS	0	((((reduc\$5 or decrease or degrade) WITH (pump near light)) SAME (fiber near core)) and (372/6 and 372/71))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/09 13:34			0
39	BRS	6	((pump near light) SAME (fiber near core)) and (372/6 and 372/71)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/09 13:44			0
40	BRS	6	((pump near light) SAME (fiber near core)) and (372/6 and 372/71)) and ((remov\$5 or mov\$5 or transfer or shift\$3 or ship\$5 or disturb\$3 or end or exit) near\$4 (fiber or core or light))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/09 13:48			0

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
41	BRS	86	(sheath with remov\$5) and (fiber near2 core) and (laser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/09 13:52			0
42	BRS	96	(sheath with remov\$5) and (fiber near laser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/09 13:51			0
43	BRS	5	((sheath with remov\$5) and (fiber near2 core) and (laser)) and 372/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/09 13:53			0
44	BRS	299	((sheath or cladding or clad) with remov\$5) and (fiber near laser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/09 13:51			0
45	BRS	823	((sheath or cladding or clad) with remov\$5) and (fiber near2 core) and (laser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/09 13:52			0
46	BRS	320	((sheath or cladding or clad) with remov\$5) and (fiber near2 core) and (laser near2 fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/09 13:58			0
47	BRS	78	((sheath or cladding or clad) with remov\$5) and (fiber near2 core) and (laser near2 fiber)) and 372/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 10:07			0
48	BRS	78	((sheath or cladding or clad) with remov\$5) and (fiber near2 core) and (laser near2 fiber) and 372/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/09 14:30			0
49	BRS	4	((sheath or cladding or clad) with remov\$5 with partially) and (fiber near2 core) and (laser near2 fiber) and 372/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/09 14:28			0
50	BRS	2	((sheath or cladding or clad) with remov\$5 with partially) and (fiber near2 core) and (laser near2 fiber) and 372/\$) and etch\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 10:08			0

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
51 BRS	7	((sheath or cladding or clad) with remov\$5) and (fiber near2 core) and (laser near2 fiber) and 372/\$) and wedge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/09 14:31			0
52 BRS	1	"5268978".PN.	USPAT	2002/10/18 07:38			0
53 BRS	8	("5268978"   "5299210"   "5309452"   "5473622"   "5530709"   "5530710"   "5533163"   "5566196").PN.	USPAT	2002/10/18 07:38			0
54 BRS	458	372/\$ and (fiber near core) and (fiber near laser ) and (sheath\$4 or cover or skin or clad or face or side)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 07:43			0
55 BRS	152	(372/\$ and (fiber near core) and (fiber near laser ) and (sheath\$4 or cover or skin or clad or face or side)) and resonat\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 07:42			0
56 BRS	24	372/\$ and (fiber near core) and (fiber near laser ) and ((sheath\$4 or cover or skin or clad or face or side) with remov\$5) and resonat\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 10:40			0
57 IS&R	4	((("5953477") or ("5764840"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 10:11			0
58 BRS	53	372/\$ and (fiber near core) and (fiber near laser ) and ((sheath\$4 or cover or skin or clad or face or side) with remov\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 10:13			0
59 BRS	3	(372/\$ and (fiber near core) and (fiber near laser ) and ((sheath\$4 or cover or skin or clad or face or side) with remov\$5) and resonat\$8) and light near4 exit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 11:24			0
60 BRS	0	((372/\$ and (fiber near core) and (fiber near laser ) and ((sheath\$4 or cover or skin or clad or face or side) with remov\$5) and resonat\$8) and light near4 exit) and (reduc\$6 near4 pump)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 11:25			0
61 BRS	1	(372/\$ and (fiber near core) and (fiber near laser ) and ((sheath\$4 or cover or skin or clad or face or side) with remov\$5) and resonat\$8) and (reduc\$6 near4 pump)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 13:01			0

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
62 BRS	0	(372/\$ and (fiber near core) and (fiber near laser) and ((sheath\$4 or cover or skin or clad or face or side) with remov\$5) and resona\$8) and (partially with strip\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 13:02			0
63 BRS	12	(372/\$ and (fiber near core) and (fiber near laser) and ((sheath\$4 or cover or skin or clad or face or side) with remov\$5) and resona\$8) and (strip\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 13:07			0
64 BRS	3	((372/\$ and (fiber near core) and (fiber near laser) and ((sheath\$4 or cover or skin or clad or face or side) with remov\$5) and resona\$8) and (strip\$6)) and ((372/\$ and (fiber near core) and (fiber near laser) and ((sheath\$4 or cover or skin or clad or face or side) with remov\$5) and resona\$8) and light near4 exit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 13:04			0
65 BRS	7	(372/\$ and (fiber near core) and (fiber near laser) and ((sheath\$4 or cover or skin or clad or face or side) with remov\$5) and resona\$8) and (strip\$6 with (sheath\$4 or cover or skin or clad or face or side))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 13:09			0
66 BRS	7	((372/\$ and (fiber near core) and (fiber near laser) and ((sheath\$4 or cover or skin or clad or face or side) with remov\$5) and resona\$8) and (strip\$6)) and ((372/\$ and (fiber near core) and (fiber near laser) and ((sheath\$4 or cover or skin or clad or face or side) with remov\$5) and resona\$8) and ((372/\$ and (fiber near core) and (fiber near laser) and ((sheath\$4 or cover or skin or clad or face or side) with remov\$5) and resona\$8) and (strip\$6 with (sheath\$4 or cover or skin or clad or face or side))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 13:09			0
67 BRS	2	(((((372/\$ and (fiber near core) and (fiber near laser) and ((sheath\$4 or cover or skin or clad or face or side) with remov\$5) and resona\$8) and (strip\$6)) and (fiber near core) and (fiber near laser) and ((sheath\$4 or cover or skin or clad or face or side) with remov\$5) and resona\$8) and ((372/\$ and (fiber near core) and (fiber near laser) and ((sheath\$4 or cover or skin or clad or face or side) with remov\$5) and resona\$8) and (strip\$6 with (sheath\$4 or cover or skin or clad or face or side)))) and ((372/\$ and (fiber near core) and (fiber near laser) and ((sheath\$4 or cover or skin or clad or face or side) with remov\$5) and resona\$8) and light near4 exit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 13:09			0
68 BRS	209	(fiber near core) and (fiber near laser) and (sheath\$4 or cover or skin or clad or face or side) and ((reduce or detract\$3 or diminish\$4 or dwindle or ebb or subside or wane) with light)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 06:06			0

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
69	BRS	166	((fiber near core) and (fiber near laser) and (sheath\$4 or cover or skin or clad or face or side) and ((reduce or detract\$3 or diminish\$4 or dwindle or ebb or subside or wane) with light))	USPAT; EPO; IPO; DERWENT	2003/05/05 06:06			0
70	BRS	166	((fiber near core) and (fiber near laser) and (sheath\$4 or cover or skin or clad or face or side) and ((reduce or detract\$3 or diminish\$4 or dwindle or ebb or subside or wane) with light))	USPAT	2003/05/05 06:10			0
71	BRS	132	((inner and core) and (fiber near laser) and (sheath\$4 or cover or skin or clad or face or side) and ((reduce or detract\$3 or diminish\$4 or dwindle or ebb or subside or wane) with light))	USPAT	2003/05/05 06:11			0
72	BRS	43	((inner and core) and (fiber near laser) and (sheath\$4 or cover or skin or clad or face or side) same ((reduce or detract\$3 or diminish\$4 or dwindle or ebb or subside or wane) with light))	USPAT	2003/05/05 06:11			0
73	BRS	4	((inner and core) and (fiber near laser) and (sheath\$4 or cover or skin or clad or face or side) with ((reduce or detract\$3 or diminish\$4 or dwindle or ebb or subside or wane) with light))	USPAT	2003/05/05 08:55			0
74	BRS	4	((inner and core) and (fiber near laser) and ((sheath\$4 or cover or skin or clad or face or side) with ((reduce or detract\$3 or diminish\$4 or dwindle or ebb or subside or wane) with light))	USPAT	2004/08/12 10:08			0
75	BRS	43	((inner and core) and (fiber near laser) and ((sheath\$4 or cover or skin or clad or face or side) same ((reduce or detract\$3 or diminish\$4 or dwindle or ebb or subside or wane) with light))	USPAT	2003/05/05 07:07			0
76	BRS	22	((inner and core) and (fiber near laser) and (reduc\$4 with pump with light))	USPAT	2003/05/05 07:08			0
77	BRS	4	((inner and core) and (fiber near laser) and (reduc\$4 near2 pump near2 light))	USPAT	2004/08/12 10:08			0
78	BRS	0	((inner and core) and (fiber near laser) and (reduc\$4 near2 pump near2 light) and sheath\$4	USPAT	2003/05/05 08:42			0
79	BRS	0	((inner and core) and (fiber near laser) and ((sheath\$4 or cover or skin or clad or face or side) with (remove or (take adj off) or withdraw or move or trasfer or shift or extract) with ((reduce or detract\$3 or diminish\$4 or dwindle or ebb or subside or wane) with light))	USPAT	2003/05/05 09:00			0
80	BRS	0	((inner and core) and (fiber near laser) and ((sheath\$4 or cover or skin or clad or face or side) same (remove or (take adj off) or withdraw or move or trasfer or shift or extract) same ((reduce or detract\$3 or diminish\$4 or dwindle or ebb or subside or wane) with light))	USPAT	2003/05/05 09:04			0
81	BRS	27	((inner and core) and (fiber near laser) and ((sheath\$4 or cover or skin or clad or face or side) same (remove or (take adj off) or withdraw or move or trasfer or shift or extract) and ((reduce or detract\$3 or diminish\$4 or dwindle or ebb or subside or wane) with light))	USPAT	2003/09/09 11:32			0

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
82	IS&R 8	((("5754717") or ("5946441") or ("5951544") or ("5764840") or ("5728091") or ("6328688") or ("4799234") or ("6366726"))).PN.	USPAT; US-PGPUB	2003/09/10 11:27			0
83	BRS 690	((inner and core) and (fiber near laser) and (sheath\$4 or cover or skin or clad or face or side))	USPAT	2003/09/09 11:32			0
84	BRS 212	((inner and core) and ((fiber near laser) SAME (sheath\$4 or cover or skin or clad or face or side))	USPAT	2003/09/09 11:33			0
85	BRS 141	((inner and core) and ((fiber near laser) WITH (sheath\$4 or cover or skin or clad or face or side))	USPAT	2003/09/10 06:55			0
86	BRS 97	((inner and core) and ((fiber near laser) WITH (sheath\$4 or cover or skin or clad or face or side)) and 372/6	USPAT	2003/09/10 09:27			0
87	BRS 191	((fiber near laser) WITH (sheath\$4 or cover or skin or clad or face or side)) and 372/6	USPAT	2003/09/10 14:09			0
88	BRS 94	((((fiber near laser) WITH (sheath\$4 or cover or skin or clad or face or side)) and 372/6) not ((inner and core) and ((fiber near laser) WITH (sheath\$4 or cover or skin or clad or face or side)) and 372/6)	USPAT	2003/09/10 07:43			0
89	BRS 845	((fiber near laser) and 372/6	USPAT	2003/09/10 07:59			0
90	BRS 2038	372/6	USPAT	2003/09/10 07:59			0
91	BRS 6	((inner and core) WITH ((fiber near laser) WITH (sheath\$4 or cover or skin or clad or face or side)) and 372/6	US-PGPUB	2003/09/10 08:50			0
92	BRS 13	((inner and core) WITH ((fiber near laser) WITH (sheath\$4 or cover or skin or clad or face or side))	EPO; JPO; DERWENT	2003/09/10 08:54			0
93	BRS 32	((inner and core) WITH ((fiber near laser) WITH (sheath\$4 or cover or skin or clad or face or side)) and 372/6	USPAT	2003/09/11 11:02			0
94	IS&R 1	("5831743").PN.	USPAT	2003/09/10 11:14			0
95	IS&R 10	((("5342355") or ("5303324") or ("4986620") or ("5280788") or ("5253312") or ("5119458") or ("5537499") or ("5878178") or ("5838868") or ("5825948"))).PN.	USPAT	2003/09/10 11:29			0
96	BRS 3	LASER NEAR (OPTIC\$3) AND ((("5342355") or ("5303324") or ("4986620") or ("5280788") or ("5253312") or ("5119458") or ("5537499") or ("5878178") or ("5838868") or ("5825948"))).PN.)	USPAT	2003/09/10 13:53			0
97	BRS 4	LASER NEAR (fiber) AND ((("5342355") or ("5303324") or ("4986620") or ("5280788") or ("5253312") or ("5119458") or ("5537499") or ("5878178") or ("5838868") or ("5825948"))).PN.)	USPAT	2003/09/10 13:53			0
98	BRS 132	((fiber near laser) WITH (sheath\$4 or cover or clad)) and 372/6	USPAT	2003/09/10 14:28			0
99	BRS 0	((fiber near laser) WITH (sheath\$4 or cover or clad) with (move or remove)) and 372/6	USPAT	2003/09/10 14:29			0

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
100 BRS	1	((fiber near laser) WITH (sheath\$4 or cover or clad) with (move or removed)) and 372/6	USPAT	2004/08/12 10:08			0
101 BRS	32	((inner and core) WITH ((fiber near laser) WITH (sheath\$4 or cover or skin or clad or face or side)) and 372/6 and (laser or pump or pumping))	USPAT	2003/09/11 11:03			0
102 BRS	3	(laser near2 resonat\$4 near2 fiber) and core and sheath and pump	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 09:56			0
103 IS&R	4	((("0346951") or ("2220789")),PN.	EPO; JPO; DERWENT	2004/02/09 05:19			0
104 IS&R	0	("0346951"),PN.	EPO; JPO; DERWENT	2004/02/09 05:19			0
105 IS&R	4	((("6144791") or ("5048026") or ("4829529") or ("5011254")),PN.	USPAT	2004/02/09 06:04			0
106 BRS	3	(laser near2 resonat\$4 near2 fiber) and core and sheath and pump	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 09:56			0
107 BRS	5764	(laser with fiber ) AND (remov\$ with (sheath\$5 or fiber))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 10:08			0
108 BRS	28	((((reduc\$5 or decrease or cut or degrade) WITH (pump near light)) SAME (fiber)) AND (cladding or clad or sheath\$4) and ((remove or move or transfer or shift\$3 or ship or disturb\$3 or end or exit) near light)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 10:08			0
109 BRS	109	((((sheath or cladding or clad) with remov\$5) and (fiber near2 core) and (laser near2 fiber)) and 372/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 10:08			0
110 BRS	1	((fiber near laser) WITH (sheath\$4 or cover or clad) with (move or removed)) and 372/6	USPAT	2004/08/12 10:08			0
111 BRS	0	((fiber near laser) WITH (sheath\$4 or cover or clad) with (move or removed)) and 372/\$n	USPAT	2004/08/12 10:08			0
112 BRS	4	((((sheath or cladding or clad) with remov\$5 with partially) and (fiber near2 core) and (laser near2 fiber) and 372/\$) and etch\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 10:10			0
113 BRS	8	((inner and core) and (fiber near3 laser) and (reduc\$4 near2 pump near2 light)	USPAT	2004/08/12 10:10			0

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
114	BRS	12	(inner and core) and (fiber near laser) and ((sheath\$4 or cover or skin or clad or face or side) with ((reduce or detract\$3 or diminish\$4 or dwindle or ebb or subside or wane) with light))	USPAT	2004/08/12 10:15			0